

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

## **TEST REPORT**

PO Box 611	poration Pty Ltd	Test Number : Issue Date :	21-00074 24/02/202	21
Tullamarine	VIC 3043	Print Date : Order Number :	24/02/2021 132661	
Sample Description	Clients Ref : "Article 12412 (EuroScreen Ed Woven fabric Colour : White End Use : Blinds Nominal Composition : 100% Polyester (Tro Nominal Mass per Unit Area/Density : 17 Nominal Thickness : 0.36mm			
/NZS 1530.3-1999	Methods for Fire Tests on Building Materials Part 3: Simultaneous Determination of Ignita Flame Propagation, Heat Release and Smoke	bility,	5	
	Face tested:	Face		
	Date tested:	24-02-2021		
		Standard Error	Mean	
	Ignition time	Nil	Nil	min
	Flame propagation time	Nil	Nil	sec
	Heat release integral	Nil	Nil	kJ/m²
	Smoke release, log d	0.0000	-0.9391	
	Optical density, d		0.0061	/ metre
	No of samples which ignited		2	
	For Samples which ignited			
	Smoke Release (Log D) - Mean		-0.9391	
	Smoke Release (Log D) - Standard Error		0.0000	
	No of samples which did not ignite		7	
	For Samples which did not ignite Smoke Release (Log D) - Mean		-2.2523	
	Smoke Release (Log D) - Standard Error		-2.2323	
			0.0.10	

229543

49839

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved Accredited for compliance with ISO/IEC 17025 - Testing

Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd. Page 1 of 2



MICHAEL A. JACKSON B.Sc.(Hons)

C

Fiona McDonald APPROVED SIGNATORY

12



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

## **TEST REPORT**

Client :	Vertilux Corporation Pty Ltd PO Box 611	Test Number : Issue Date :	21-000745 24/02/2021
	Tullamarine VIC 3043	Print Date : Order Number :	24/02/2021 132661
	Regulatory Indices: Ignitability Index		0 Range 0-20

	0	Range 0-20
Spread of Flame Index	0	Range 0-10
Heat Evolved Index	0	Range 0-10
Smoke Developed Index	4	Range 0-10

The reaction of thin unsupported flexible materials to flame impingement can be assessed in accordance with AS 1530.2. Where materials of thickness less than 2 mm that are sufficiently flexible to be bent by hand around a mandrel of 2mm diameter or less are subjected to the test described herein, they should also be subjected to the test in AS 1530.2.

Ignition is initiated by a pilot flame that is held near, but does not touch the specimen. A material that does not ignite during the standard test may ignite if contacted with a pilot flame during the test.

To allow free movement of sample during testing all corners were folded away from the clamps.

The specimens were mounted to simulate use in an unsupported or free hanging mode. The results may be significantly different when mounted to simulate a wall cladding or upholstery application.

Each test specimen was sandwiched between two layers of galvanised welded square mesh made from wire of nominal diameter 0.8mm and nominal spacing 12mm in both directions, stapled through at four points, each 100mm from the centre of the sample and the assembly clamped in four places.

These results only apply to the specimen mounted, as described in this report. The result of this fire test may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of fire hazard under all fire conditions.

229543

C Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



NATA



samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Fiona McDonald PROVED SIGNATORY Page 2 of 2



